



When quality counts,
you know you can
count on **KAYO**



Personal Protective Equipment

CE New Regulation (EU) 2016/425



Made in Taiwan

Safety Helmet

CLIMBING HELMET

KCHI01

- Made of high-quality strong ABS
- High impact resistant and durable
- Adjustable vent holes design
- 6 points nylon harness with ratchet for easy adjustment.
- Slots available for mounted earmuffs
- Color: White, Red & Yellow

CE EN12492



NEW



CLIMBING STYLE SAFETY HELMET

KHH101

- Made of ABS
- High impact resistant and durable
- 6 points nylon harness with ratchet for easy adjustment.
- Slots available for mounted earmuffs
- Color: White, Red & Yellow

CE EN397, ANSI Z89.1



NEW



Tough, Polypropylene / ABS shell ensures maximum protection with choice of 4-point or 6-points plastic / Nylon suspension, ratchet knob design suspension for quick adjustment on different head sizes. Excellent shock absorption. Even includes rain through to prevent water dripping down necks.

KAYO HELMET 4-POINT SERIES

KHH551 SERIES

CE EN397,  Z89.1

Ventilation holes on top

KHH551/HHS520	PP	Helmet with HHS520
KHH551/HHS520R	PP	Helmet with HHS520R
KHH551/HHS522	PP	Helmet with HHS522
KHH551/HHS522R	PP	Helmet with HHS522R



ALTERNATIVE CHOICE

KHH561 SERIES

CE EN397,  Z89.1

No ventilation holes

KHH561/HHS520	PP	Helmet with HHS520
KHH561/HHS520R	PP	Helmet with HHS520R
KHH561/HHS522	PP	Helmet with HHS522
KHH561/HHS522R	PP	Helmet with HHS522R

NEW



6-point suspensions are also available, please contact us for more information.



HHS520
4-point plastic pinlock suspension



HHS520R
4-point plastic Ratchet suspension



HHS522
4-point Nylon pinlock suspension



HHS522R
4-point Nylon Ratchet suspension

KAYO HELMET 4-POINT SERIES



CE

KHH33 IN SERIES

CE EN397,  Z89.1

- KHH33 IN/HHS322 PP Helmet with HHS322
- KHH33 IN/HHS322R PP Helmet with HHS322R
- KHH33 IN/HHS320R PP Helmet with HHS320R
- KHH33 IN/HHS320 PP Helmet with HHS320



■ **HHS322**
4-point Nylon pinlock suspension



■ **HHS320R**
4-point plastic Ratchet suspension



■ **HHS322R**
4-point Nylon Ratchet suspension



■ **HHS320**
4-point plastic pinlock suspension



KHH92I SERIES

CE EN397,  Z89.1

- KHH92I/HHS320 PP Helmet with HHS320
- KHH92I/HHS322 PP Helmet with HHS322
- KHH92I/HHS320R PP Helmet with HHS320R
- KHH92I/HHS322R PP Helmet with HHS322R



CE

KAYO HELMET 6-POINT SERIES

KHH121 / KHH131 SERIES

CE EN397,  Z89.1

KHH121/HHS120 PE Helmet with HHS120

KHH131/HHS130 PE Helmet with HHS130

KHH131R/HHS130R PE Helmet with HHS130R



CE



HHS120
6-point plastic pinlock suspension



HHS130
6-point Nylon pinlock suspension



HHS130R
6-point Nylon Ratchet suspension

KHH361 SERIES

CE EN397,  Z89.1

KHH361/HHS3622 PP Helmet with HHS3622

KHH361/HHS3622R PP Helmet with HHS3622R

KHH361/HHS3620R PP Helmet with HHS3620R

KHH361/HHS3620 PP Helmet with HHS3620



HHS3622
6-point Nylon pinlock suspension



HHS3622R
6-point Nylon Ratchet suspension



HHS3620R
6-point plastic Ratchet suspension



HHS3620
6-point plastic pinlock suspension



CE

Safety Helmet

KHH801 / KHH802 SERIES

CE EN397,  Z89.1

Two materials available: ABS or PE

KHH801/HHS822 ABS Helmet with HHS822

KHH802/HHS820 PE Helmet with HHS820



HHS820

6-point plastic pinlock suspension

HHS822

6-point Nylon pinlock suspension



CE

KHH804 / KHH804N SERIES

CE EN397,  Z89.1

KHH804: Ventilation holes on top

KHH804N: No ventilation holes

KHH804/HHS820 PE Helmet with HHS820

KHH804N/HHS822 PE Helmet with HHS822

HHS822

6-point Nylon pinlock suspension

HHS820

6-point plastic pinlock suspension



CE

■ KHH804



CE

■ KHH804N

KAYO HELMET 6-POINT SERIES



KHH731 SERIES

CE EN397, ANSI Z89.1

KHH731/HHS722R PP Helmet with HHS722R

KHH731/HHS720 PP Helmet with HHS720



HHS722R
6-point Nylon Ratchet suspension



CE



HHS720
6-point plastic pinlock suspension

HELMET ACCESSORY - CHIN STRAPS

KCS300-1A

Woven chin strap



KCS300-12

Woven chin strap with quick release



KCS300-11A

Elastic chin strap



KCS600-13

Y-style woven chin strap



Safety Helmet

A lightweight combination design with slotted visor and earmuffs gives all round protection from flying object, noise reduction and impacts. Perfect wire mesh for general-purpose work where all-round protection is needed.

Compliance : CE EN397, CE EN352-3, CE EN166, CE EN1731

KHP730B

- KHH300 series safety helmets
- KED310 slotted earmuffs
- Steel mesh visor, size:8"x15-1/2"



KHP770B

- KHH700 series safety helmets
- KED320 slotted earmuffs
- Steel mesh visor, size:8"x15-1/2"

SLOTTED TYPE EARMUFFS

Fit with safety helmets KHH300, KHH500, KHH360, KHH700 & KHH924 series.

Compliances : CE EN352-3, ANSI S3.19

KED310


SNR: 24.5dB
NNR: 22dB



KED320

SNR: 27.9dB
NNR: 30dB





BUMP CAP

KBC I65 SAFETY BASEBALL BUMP CAP

- Easy to get workers to wear it, cushions and ventilation holes inside cap ensure comfort.
- Available in black and blue colors.
- Embroidery logo needs MOQ 1,500pcs.

CE EN812



EVA Foam

KBC I65P3

Short peak bump cap



CE



ABS Shell

KBC I65-HI-VIS

- Hi-vis color and reflective trim offer great visibility
- Breathable mesh for better ventilation



KBCI66 SAFETY BASEBALL BUMP CAP

- It is comfortable and fashionable for head protection.
- It is ideal for DIY at home or some workplace that doesn't require formal safety helmet.
- It also provides good head protection.
- It features ABS shell and integrated EVA foam pads.
- Breathable mesh ventilation for good airflow

CE EN812



CE



KBCI67 SAFETY BASEBALL BUMP CAP

- It is comfortable and fashionable for head protection.
- It is ideal for DIY at home or some workplace that doesn't require formal safety helmet.
- It also provides good head protection.
- It features ABS shell and integrated EVA foam pads.
- Breathable mesh ventilation for good airflow

CE EN812



CE



Face Shields

KFSI73 Molded Visor Face Shield

- Contoured clear Polycarbonate visor provides protecting from splash, particles and debris.
- Visor 8"x15-1/2". Thickness 2mm.
- Adjustable headgear to enhance comfort and provide a personalized fit.

CE EN166



KFSI73+CG

- Contoured clear Polycarbonate visor with chin guard protecting the face & neck from splash, particles and debris.
- Visor size 8"x15-1/2". Thickness 2mm.

CE EN166



KFSI73-IR5+CG

- Shade 5 IR lens provides infrared light protection for various types of grinding, brazing and flame cutting.
- Visor size 8"x15-1/2". Thickness 2mm.
- Contoured visor with chin guard protecting the face & neck from splash, particles and debris.

CE EN166



KFSI81-C15 & KFSI81-C20 Molded Visor Face Shield

- PP brow guard with ratchet headgear suspension.
 - Shade #3, Shade #5 Visor are available
- CE EN166, ANSI Z87.1 & AS/NZS1337.1



KFSI81-C15

Visor Size: 8" x 15.5"
Thickness 1.5mm.



KFSI81-C20

Visor Size: 8" x 15.5"
Thickness 2.0mm

KFSI51

Clear faceshield
CE EN166



KFSI51A
8"x15-1/2"
Aluminium bound

KFSI51B
8"x12"
Aluminium bound



KFSI51C
8"x15-1/2"

KFSI51D
8"x12"

KFSI53

Green visor faceshield
CE EN166, CE EN170



KFSI53A
8"x15-1/2"
Aluminium bound

KFSI53B
8"x12"
Aluminium bound

KFSI52

Wire mesh faceshield
CE EN166



KFSI52C
Wire mesh visor:
8"x15-1/2"

KFSI52D
Wire mesh visor:
8"x12"

KFSI51E

- Impact-resistant ABS browguard with ratchet headgear.
 - Aluminized visor: 8"x15-1/2"
- CE EN166



KFSI51E-C10

- Aluminized Polycarbonate visor: 8"x15-1/2"x1.0mm
 - Reflects up 80% of radiant heat
- CE EN166



Face Shields

KFS370CM

- Clear visor, Aluminum bound available
- Size: 8"x15-1/2"
- CE EN166, ANSI Z87.1



KFS370GM

- Smoke Polycarbonate visor face shield
- Size: 8"x15-1/2"
- CE EN166, CE EN172



KFS251

- Clear visor, Aluminum bound available
- 8"x12" or 8"x15.5"
- CE EN166, ANSI Z87.1



KFS252

- Wire mesh visor
- 8"x12" or 8"x15.5"
- CE EN1731



KBA150 BRACKET SERIES

- Easy to install on safety helmet
- CE EN166, ANSI Z87.1



S151E-C10 ALUMINIZED VISOR

- **KBA150A**
Aluminum bracket

- **KBA150B**
Semi-Aluminum bracket

- **KBA150C**
ABS bracket



EAR AND FACE PROTECTION KIT

Provides face and ear protection with light weight and comfortable design.

KFS362S / R / KED316

- Combination kit
- Yellow browguard with ratchet suspension
- Mesh visor: 8"x12"
- KED316 Earmuffs



CE

KFS152M / R / KED314

- Combination kit
- Yellow browguard with ratchet suspension
- Mesh visor: 8"x15-1/2"
- KED314 Earmuffs



CE

WORKER'S PROTECTION KIT

KAYO-I-H

- KED311 Earmuffs
- KPR110 FFP1 Particulate Respirator
- KSG311 Safety goggles



KHP-S6B


- KPR110 FFP1 Particulate Respirator
- KSG311 Safety goggles
- KEP510 Earplugs



CE

KAYO-I-B

- KED311 Earmuffs
- KPR110 FFP1 Particulate Respirator
- KSG311 Safety goggles



CE

Safety Goggles

KSG2013

- Premium safety goggles.
- Impact and abrasion resistant, clear Polycarbonate lens with anti-fog.
- Indirect ventilation for protection against dust and liquid splash.
- Fits over most prescription spectacles.

CE EN166, ANSI Z87.1



KSG711

- Indirect ventilation for protection against dust and liquid splash.
- Fits over most prescription glasses.

CE EN166, ANSI Z87.1



KSG2201

- Indirect ventilation for protection against dust and liquid splash.
- Fits over most prescription glasses.
- Anti-fog lens.

CE EN166, ANSI Z87.1



KSG311

- Direct ventilation.
- Anti-fog lens available **KSG312**

CE EN166, ANSI Z87.1



KSG321

- 4 In-direct ventilation holes.
- Anti-fog lens available **KSG322**

CE EN166, ANSI Z87.1



KSG2083

- Features fashionable design and large soft frame with wide vision and fits over most prescription glasses.
- Comfortable soft frame.
- Anti-fog Polycarbonate lens.
- Indirect ventilation provides protection from splash entry.

CE EN166, ANSI Z87.1

NEW



KSG761

- Lightweight and very comfortable to wear.
- It fits over most prescription glasses.
- Comfortable soft frame.
- Anti-fog Polycarbonate lens, Lens changeable.

CE EN166, ANSI Z87.1

NEW



KSG3086

- Lightweight and very comfortable to wear.
- Anti-fog Polycarbonate lens.

CE EN166, ANSI Z87.1

NEW



KSG741

- Sporty and lightweight design with soft flexible seal.
- Anti-fog Polycarbonate lens.

CE EN166, ANSI Z87.1



KSG741-YE



KSG741-RD

Protective Spectacles

KPS9839 / KPS9839G

NEW

- The curved two-colored temples provide a secure and comfortable fit, comfortable to wear throughout the day.
- Impact-resistant and scratch-resistant polycarbonate lens, UV protection.

CE EN166, ANSI Z87.1



KPS9839

+



gasket

=



KPS9839G

KPS9839G

KPS9839 with removable foam gasket



KY20

- KY20 are perfect for lightweight and reliable eye protection in all environments.
- Fitted with anti-slip rubber on the flexible temple tips, and a non-slip nose bridge ensures extremely high comfort.
- Impact-resistant and scratch-resistant polycarbonate lens, UV protection.

CE EN166,  Z87.1

NEW



Optional Color



KY21

- KY21 features a built-in rubber nose piece and co-injected rubber temples that provide a secure, snug fit.
- Anti-fog and scratch-resistant polycarbonate lens, UV protection.

CE EN166,  Z87.1

NEW



Protective Spectacles

KPS2101

- PC and TPE co-injected frame fully protecting the eyes against flying particles.
- Anti-fog and anti-scratch lens.
- Adjustable and Inter-changeable temples.

CE EN166, ANSI Z87.1

NEW



ALTERNATIVE CHOICE

KPS2102

With elastic strap



KPS2105

- The curved two-colored temples provide a secure and comfortable fit, comfortable to wear throughout the day.
- Impact-resistant and scratch-resistant polycarbonate lens, UV protection.

CE EN166, ANSI Z87.1

NEW



KPS3030

NEW

- Lightweight & sporty design. Soft nose pads & non-slip temple pads.
- Impact-resistant and scratch-resistant polycarbonate lens.

CE EN166, ANSI Z87.1



Optional Color



KPS1866

NEW

- KPS1866 features lightweight & sporty design and soft non-slip temple pads.
- **KPS1866F** with removable frame foam available.
- **KPS1868F** Features versatile use of both spectacles & goggles.

CE EN166, ANSI Z87.1



KPS1866F



KPS1868F



Protective Spectacles

KPS7011

- Safety Glasses with metal frame.
- Polycarbonate lens scratch resistant, UV Protection.

CE EN166, ANSI Z87.1



KPS1806

- Lightweight and modern design.
- Temple angle adjustable.
- Polycarbonate lens scratch resistant, UV Protection.

CE EN166, ANSI Z87.1



KPS1863

- Modern and sporty design.
- Soft inner-padded temples.
- Polycarbonate lens scratch resistant.

CE EN166, ANSI Z87.1



KPS1823

- Modern and sporty design.
- Temple length adjustable.
- Polycarbonate lens scratch resistant.

ANSI Z87.1



KPS2071

- Fashionable and sporty design.
- Polycarbonate lens scratch resistant.

CE EN166, ANSI Z87.1



KPS2075 / KPS2074

- Comfortable Duo-curved wraparound design lens.
- PC lens with anti-scratch and anti-fog.
- Co-injected frame angle adjustable.
- With elastic strap **KPS2074**

CE EN166, ANSI Z87.1



KPS2074

KPS2091 / KPS2092

- Modern design with soft TPE flexible face seal.
- Adjustable temples, anti-fog Polycarbonate lens.
- With elastic strap **KPS2092**

CE EN166, ANSI Z87.1



KPS2092

Protective Spectacles

KPS2024

- Angle and length adjustable temples.
- Polycarbonate lens scratch resistant.

CE EN166, ANSI Z87.1



KPS2005

- Angle and length adjustable temples.
- Polycarbonate lens scratch resistant.

CE EN166, ANSI Z87.1



KPS2065

- Lightweight design, angle adjustable temples.

CE EN166, ANSI Z87.1



KPS2066

- Lightweight design with face seal pads.
- Angle adjustable temples.

CE EN166, ANSI Z87.1



KPS2069

- Versatile use combining both features of spectacles and goggles.
- Including KPS2066 and an elastic strap.
- Interchangeable temples.

CE EN166, ANSI Z87.1



KPS842

- Lightweight and good side protection.
- Temple length adjustable.

CE EN166, ANSI Z87.1



KPS870

- Lightweight and 100% Polycarbonate.
- CE EN166, ANSI Z87.1



KPS1907-1

- Lightweight and comfortable.
- Soft elastic temples offer a non-slip fit.
- With soft frame foam for better seal

KPS1907-1P

CE EN166, ANSI Z87.1



KPS1903

- Lightweight and comfortable.
- Soft elastic temples offer a non-slip fit.

CE EN166, ANSI Z87.1



KPS1907-1P

With soft frame foam for better seal



KPS871

- Lightweight and comfortable.
- Soft elastic temples offer a non-slip fit.

CE EN166, ANSI Z87.1



Protective Spectacles

KPS846

- Classic visitor spectacles.
- Fit over most prescription spectacles.

CE EN166, ANSI Z87.1



KPS33086

- Anti-scratch Polycarbonate lens.
- Anti-fog available

CE EN166, ANSI Z87.1



KPS891

- Lightweight and soft nose pieces.

CE EN166, ANSI Z87.1



KPS882

- Temple length adjustable.

CE EN166, ANSI Z87.1



KDS900

- Spectacles display stand for 6 glasses.



KPS881

- Temple length adjustable.


CE EN166, ANSI Z87.1



KPSP-401

- Microfiber pouch





Earplugs

Offering excellent protection against harmful noise, these lightweight and distinctive earplugs are ideal for the factory floor or as a general-purpose eardrum guard.



Roll
to a small crease-free
cylinder



Insert
as shown



Hold
until plug expands

KEP510 / KEP510A PU Foam Earplugs

- Disposable soft PU foam earplugs
- Bullet shape
- One size fits all ear canals

CE EN352-2, SNR 39dB

ANSI S3.19, NRR: 32dB



KEP518 / KEP518A PU Foam Earplugs

- New Bullet-shaped Style.
- Made of soft, light, and hypoallergenic material.
- Suitable for working, reading, sleeping, traveling, and reducing daily noise.

CE EN352-2, SNR 37dB

ANSI S3.19, NRR: 30dB



KEP539 / KEP539A PU Foam Earplugs

- Special cone-shaped foam.
- Made of soft, light, and hypoallergenic material.
- Suitable for working, reading, sleeping, traveling, and reducing daily noise.

CE EN352-2, SNR 35dB


ANSI S3.19, NRR: 30dB



KPEP522 / KPEP522A

NEW


- Push-in foam earplugs with handles to ensure secure fitting.
 - Great for dirty hands or glove wearers.
- CE testing is currently in progress



KPRP522 / KPRP522A

NEW

- Push in reusable earplugs with handles to ensure secure fitting.
 - Soft triple-flange plugs, washable and reusable.
- CE testing is currently in progress



KDEP-33D

- KDEP-33D metal detectable ear plugs are recognized by most metal-sensing systems.
 - Both earplug and cord are impregnated with metal particles.
 - Apply in food industry
- CE EN352-2, SNR: 30dB
ANSI S3.19-1974, NRR: 24dB



KEP33

- TPR earplugs with or without cord.
 - Latex-free.
 - Reusable and one size fit all ear canal.
- CE EN352-2, SNR: 27dB
ANSI S3.19, NRR: 21dB



KEP340

- Triple flange TPE earplugs
- CE EN352-2, SNR: 21.3dB
ANSI S3.19, NRR: 24dB



KEP331-335

- Triple flange TPE earplugs
- CE EN352-2, SNR: 27.9dB
ANSI S3.19, NRR: 25dB



Earplugs



KEP580

- Foldable banded earplugs.
- Wear under chin or over head for versatile protection in noisy environments.
- Earplugs pods are exchangeable.

CE 352-2, SNR: 24dB

ANSI S3.19, NRR: 20dB



KEP540

- Banded earplugs, can be hanged around the neck.
- Exchangeable soft form plugs.

CE EN352-2, SNR: 30dB

ANSI S3.19, NRR: 18dB



KEP550

- Foldable banded earplugs.
- Exchangeable soft form plugs.

CE EN352-2, SNR: 24dB

ANSI S3.19, NRR: 22dB



KEP570

- Banded earplugs, can be hanged around the neck.
- Exchangeable soft form plugs.

CE EN352-2, SNR: 21dB

ANSI S3.19, NRR: 22dB



KEP590

- Banded earplugs, wear under chin or over head for versatile protection in noisy environments.
- Exchangeable soft form plugs.

CE EN352-2, SNR: 21dB

ANSI S3.19, NRR: 25dB



PACKAGING OPTIONS

100D

- Refill dispenser, easy to open
- Capacity: 100 pairs of uncorded earplugs



500B

- Holds 500 pairs of earplugs
- Wall-mounted or tabletop use
- A simple twist for quick access



DISPENSER BOX

- Custom design available
- Capacity: 200 pairs of uncorded earplugs
- Capacity: 100 pairs of corded earplugs



300D

- Wall-mounted or tabletop use
- A simple twist for quick access
- Holds 300 pairs of earplugs



Earmuffs

KED501

- Foldable for easy storage and carry
- Padded headband offers a comfortable fit
- Soft foam ear cushion for great comfort
- No metal used

CE EN352-1, SNR: 29dB

ANSI S3.19, NRR: 22dB



KED315

- Soft padded headband for a comfortable fit
- High sound attenuation

CE EN352-1, SNR: 33dB

ANSI S3.19, NRR: 28dB



KED329

- Foldable, adjustable headband.
- Optional cushioned headband for great comfort.

CE EN352-1, SNR: 28.9dB



KED319

- Foldable for easy storage and carry
- Dual color design available
- Soft headband pad available
- High sound attenuation

CE EN352-1, SNR: 30.4dB

ANSI S3.19, NRR: 34dB




KED506

- Foldable for easy storage and carry
- Padded headband offers a comfortable fit
- High sound attenuation
- Easy length adjustment

CE EN352-1, SNR: 30dB

ANSI S3.19, NRR: 25dB



KED309

- Foldable for easy storage and carry
- Padded headband offers a comfortable fit
- High sound attenuation
- Easy length adjustment

CE EN352-1, SNR: 28.2dB

ANSI S3.19, NRR: 32dB



Earmuffs

KED157

- Stainless steel headband for low pressure fit
- Soft padded headband for great comfort
- Adjustable length for a custom fit

CE EN352-1, SNR: 28.9dB

ANSI S3.19, NRR: 26dB



KED415

- Stainless steel headband for low pressure fit
- Soft padded headband for great comfort
- Adjustable length for a custom fit

CE EN352-1, SNR: 28dB

ANSI S3.19, NRR: 30dB



KED317

- Foldable for easy storage and carry
- Adjustable length for a custom fit

CE EN352-1, SNR: 29dB

ANSI S3.19, NRR: 29dB



KED318

- Foldable for easy storage and carry
- Adjustable length for a custom fit
- Dual color & headband pad available

CE EN352-1, SNR: 27.2dB

ANSI S3.19, NRR: 27dB



KED172

- Foldable for easy storage and carry
- Lightweight and thin ear cup design
- Adjustable length for a custom fit

CE EN352-1, SNR: 25.9dB

ANSI S3.19, NRR: 20dB



KED138

- Foldable for easy storage and carry
- Special ear cup design for hunting use
- Adjustable length for a custom fit

CE EN352-1, SNR: 24.7dB

ANSI S3.19, NRR: 34dB



KED311

- Lightweight and economical
- Dielectric construction suitable
- Adjustable length

CE EN352-1, SNR: 26.9dB

ANSI S3.19, NRR: 28dB



KED316

- Dielectric construction suitable
- Soft padded headband
- Adjustable length

CE EN352-1, SNR: 27.2dB

ANSI S3.19, NRR: 21dB



KED314

- Lightweight and economical
- Dielectric construction suitable
- Adjustable length


CE EN352-1, SNR: 25.9dB

ANSI S3.19, NRR: 25dB



Earmuffs

KIDS EARMUFFS





EP182

- Foldable for easy storage and carry
- Soft padded headband for great comfort
- Great for concerts and other noisy environments
- Adjustable length for a custom fit
- For 4-12 years old children

CE EN352-1, SNR: 23.6dB

ANSI S3.19 & S12.42, NRR: 23.2dB



Electronic Earmuffs LMI-H3

- AUX function: easy connection to MP3, CD player
- Power supply: 3pcs AAA size
- Foam filled earcups provide a comfortable fit when wearing safety glasses
- LMI-H1 (Electronic Earmuffs)
- LMI-H2 (Bluetooth Earmuffs)
- LMI-H3 (Electronic + Bluetooth Earmuffs)

CE EN352-1, CE EN352-4, CE EN352-8,
SNR : 27dB

ANSI S3.19, NRR: 27dB

Bluetooth®



Electronic Earmuffs LMI-53K DAB + FM

- Digital audio broadcast (DAB+) / FM digital tuning.
- Frequency Range: FM 88-108MHz, AM 540-1700kHz.
- 10 preset stations for each mode.
- Aux function: easy connection for audio equipment

CE EN352-1, CE EN352-4, SNR: 28dB

Bluetooth®



Radio Earmuffs HP-45K AM/FM

- Power supply: DC 3V UM-3x2 (2pcs AA size)
- Comfortable ear pads
- Adjustable headband
- Rotary volume and tuning controls
- Equipped by short flexible antenna
- AUX is optional (connect MP3, CD player)

CE EN352-1, CE EN352-8, SNR: 30dB

ANSI S3.19, NRR: 22dB



Welding Goggles

KWG272

- Wide vision welding goggles
- Ski style with full eye cover protection
- Lens shade: IR5.0
- UV / IR protection
- Anti-fog available

CE EN175, ANSI Z87.1



KWG360

- Lift front, 50mm round glass green shade No.5

CE EN175, ANSI Z87.1



KWG350

- 50mm round glass shade No.5
- Flip front lens

CE EN175, ANSI Z87.1



KWS2006

- Features side shields for extra protection against flying particles.
- Flip-up lenses are offered in multiple IR Welding Shades.
- IR#3 and IR#5 are available.

CE EN166, CE EN169, CE EN170, CE EN171



KWG390

- Lift front, shade#5 glass lens
- Size: 2"x4 - 1/4"

CE EN175, ANSI Z87.1



KWG381

- Lift front, shade#5 glass lens
- Size: 2"x4 - 1/4"

CE EN175, ANSI Z87.1



KWG380

- Fixed front, shade#5 glass lens
- Size: 2"x4 - 1/4"

CE EN175, ANSI Z87.1



KWG370

- Cup type
- 50mm round glass shade#5

CE EN175, ANSI Z87.1



KWGI06

- Features fixed front lenses, soft PVC frame and adjustable strap for better comfort and fit.
- Polycarbonate green shade#5 lens protect eyes from harmful glares and flying particles.

CE EN166, CE EN175, ANSI Z87.1



Welding Helmet

KWH212

- Lens Size: 2" x 4-1/4"
 - Lift front style
 - Ratchet suspension
- CE EN175, ANSI Z87.1, SP Z94.3



KWH711

- Lens Size: 90 x 110mm
 - Lift front style
 - Ratchet suspension
- CE EN175



KWH411

- Lens Size: 4-1/4" x 3-1/4"
 - Fix front style
 - Ratchet suspension
- CE EN175



FOR SAFETY HELMET

- Used with safety helmet for both head and face protection

KWH770

- Lens size: 2" x 4-1/4"
 - Fit with KHH300, KHH550, KHH921, KHH700
 - Can also fit with slotted type earmuffs
- CE EN175, ANSI Z87.1



KWH101

- Lens Size: 2" x 4-1/4"
 - With ABS bracket
 - Fit with KHH100
- CE EN175, ANSI Z87.1

Welding Helmet

KWH323

- Welding handshield
 - Lens size: 90 x 110mm
- CE EN175



KWH322

- Welding handshield
 - Lens size: 2"x4- 1/4"
- CE EN175



KWH314

- Fixed front welding
 - Lens size: 90 x 110mm
 - Ratchet suspension
- CE EN175



KWH321

- Flip up welding helmet
 - Lens size: 2"x4-1/4"
 - Ratchet suspension
- CE EN175, ANSI Z87.1



KWH111

- Flip up welding helmet
 - Lens size: 2"x4-1/4"
 - Ratchet suspension
- ANSI Z87.1, S Z94.3



Welding Helmet

KWH211

- Flip up welding helmet
 - Lens size: 2"x 4-1/4"
 - Ratchet suspension
- CE EN175, ANSI Z87.1



KWH363-LF

- Flip up welding helmet
 - Lens size: 4-1/2"x 5-1/4"
 - Ratchet suspension
- ANSI Z87.1



KWH313

- Fixed front welding helmet
 - Lens size: 90 x 110mm
 - Ratchet suspension
- CE EN175



KWH363

- Fixed front welding helmet
 - Lens size: 4-1/2"x 5-1/4"
 - Ratchet suspension
- ANSI Z87.1



KWH313-LF

- Flip up welding helmet
 - Lens size: 90 x 110m
 - Ratchet suspension
- CE EN175



KWH780

- Flip up welding helmet
- High impact polypropylene shell design
- Lens size: 2"x 4-1/4"
- Ratchet suspension

ANSI Z87.1



KWH786

- Flip up welding helmet
- High impact polypropylene shell design
- Lens size: 90 x 110mm
- Ratchet suspension

CE EN175



KWH788

- Fixed front welding helmet
- High impact polypropylene shell design
- Lens size: 90 x 110mm
- Ratchet suspension

CE EN175



KWH782

- Flip up welding helmet
- High impact polypropylene shell design
- Lens size: 4- 1/2"x 5-1/4"
- Ratchet suspension

ANSI Z87.1



KWH784

- Fixed front welding helmet
- High impact polypropylene shell design
- Lens size: 4-1/2"x 5-1/4"
- Ratchet suspension

ANSI Z87.1



Particulate Respirator

Particles, dust and aerosol filters

Class 1 (P1 or FFPI)	Class 2 (P2 or FFP2)	Class 3 (P3 or FFP3)
Protect against coarse solid particles without specific toxicity (calcium carbonate).	Protect against solid and/or liquid aerosols identified as hazardous or irritating (silica - sodium carbonate).	Protect against toxic solid and/or liquid aerosols (Beryllium - nickel - uranium - exotic wood).



GRAND NEW KPR4100 SERIES

- ✓ Great stability under facial movement
- ✓ Comfortable
- ✓ Better facial fit
- ✓ Individually packaged for easy storage
- ✓ CE EN149:2001+A1:2009

KPR4130V

FFP3 NR D

- Particulate Respirator with Valve
- Soft inner layer and large nose foam give excellent comfort on the face



KPR4120

FFP2 NR D

- Particulate Respirator



KPR4120V

FFP2 NR D

- Particulate Respirator with Valve



KPR4110

FFPI NR D

- Particulate Respirator



KPR4110V

FFPI NR D

- Particulate Respirator with Valve



GRAND NEW KPRI700 SERIES

- ✓ Softer inner layer for a comfortable touch on the face
- ✓ Pre-shaped nose bridge skips the adjustment of nose clip
- ✓ Ergonomic shape with a larger nose foam provide a better facial fit
- ✓ CE EN149:2001+A1:2009

KPRI730V

FFP3 NR D

- Particulate Respirator with Valve
- Brand-new design exhalation valve provides lower exhalation resistance



KPRI720

FFP2 NR D

- Particulate Respirator



KPRI720V

FFP2 NR D

- Particulate Respirator with Valve



KPRI710

FFP1 NR D

- Particulate Respirator



KPRI710V

FFP1 NR D

- Particulate Respirator with Valve



Particulate Respirator

CONE TYPE

- ✓ Soft nose foam ensures a comfortable fit
- ✓ A contoured design reduces the risk of fogging while wearing goggles or spectacles
- ✓ Passed the dolomite clogging test
- ✓ CE EN149:2001+A1:2009

KPR311

FFP3 NR D

- Cone Type Premium Respirator Valved
- The special filtration design offers a very low breathing resistance



KPR210

FFP2 NR D

- Particulate respirator



KPR211

FFP2 NR D

- Particulate respirator valved



KPR213

FFP2 NR D

- Organic vapor respirator valved



KPR215

FFP2 NR D

- Organic vapor and acid gas respirator valved



KPRI10

FFPI NR D

- Particulate respirator



KPRI11

FFPI NR D

- Particulate respirator valved



KPRI12

FFPI NR D

- Organic vapor respirator valved



KPRI13

FFPI NR D

- Organic vapor respirator valved



VERTICAL FOLD-FLAT TYPE

✓ CE EN149:2001+A1:2009

KPR3300V

FFP3 NR

Vertical Fold-Flat Respirator

- Invisible nose bridge without any exposure of metal parts
- Individually hygienically packed



KPR3200

FFP2 NR

- Particulate respirator



KPR3200V

FFP2 NR

- Particulate respirator valved



KPR3200CV

FFP2 NR

- Organic vapor particulate respirator valved



KPR3100

FFP1 NR

- Particulate respirator



KPR3100V

FFP1 NR

- Particulate respirator valved



KPR3100C

FFP1 NR

- Organic vapor particulate respirator



KPR3100CV

FFP2 NR D

- Organic vapor particulate respirator valved



Particulate Respirator

NIOSH N95 Approved Particulate Respirator

N95 respirator offers a fantastic 95% effective protection against oil-free aerosols, conforming to the NIOSH 42 CFR part 84 standard.

CONE TYPE

With a high-quality double shell construction this series is fully collapse proffer and able to stand up to the hottest and most humid conditions.

KPR910

- Particulate respirator



KPR911

- Particulate respirator valved



KPR912

- Organic vapor respirator



KPR913

- Organic vapor respirator valved



FOLD-FLAT TYPE

Fully foldable for easy storage and carry and individually hygienically packed this series is designed for use anywhere, while a loop design lets it hang around the neck when not in use.

KPR920

- Particulate respirator



KPR921

- Particulate respirator valved



KPR922

- Organic vapor respirator



KPR923

- Organic vapor respirator valved



KPR924

- Organic vapor and acid gas respirator



Particulate Respirator

KPR930 SERIES

No metal used. Pre-shaped nose cushion and soft nose foam ensure custom shape and better comfort.



KPR930

- Particulate respirator



KPR931

- Particulate respirator valved



KPR932

- Organic vapor respirator



KPR933

- Organic vapor respirator valved



NON-CERTIFIED

KPM400 Nuisance Dust Mask

- Fiberglass free
- Odorless
- Low breathing resistance
- Non-irritating to the skin



KPM440 Active Carbon Face Mask

- 4-ply construction
- BFE $\geq 99\%$
- Disposable



KPM430 Surgical Mask

- 3-ply construction
- BFE $\geq 99\%$
- Disposable



Respirator & Cartridge

RESPIRATOR

RM605 HALF-MASK RESPIRATOR

- Flaps on the filter connector route the air flow and increase the efficiency and the duration of the filter.
- Made of rubber with an interior fold ensuring a hermetic fit.

CE EN140



RM605 with R650

RM606 HALF-MASK RESPIRATOR

- Easy mount bayonet cartridge
- Wide flange fits most of the face and makes wearing comfortable
- Adjustable head harness for a custom fit

CE EN140



RM606 with R660

CARTRIDGE

Respirator	Cartridge Item	Filter Type	Standard	Protection
RM605	R653	A1	CE EN 14387	Organic gases and vapors (boiling point above 65°C); Class I
	R650	P2 R	CE EN 143	Toxic Particles; P2
	R655	E1	CE EN 14387	Acid Gases; Class I
	R657	A1 B1 E1 K1	CE EN 14387	Organic vapors, inorganic and acid gases, ammonia and derivatives; Class I
RM606	R663	A1	CE EN 14387	Organic gases and vapors (boiling point above 65°C); Class I
	R660	P2 R	CE EN 143	Toxic Particles; P2

CARTRIDGES FOR KRC311/KRC321 ONLY

KRC311

- Single Cartridge



KCS320

KCS321

KCS322

KCS324

KCS325

KCS326

- Dust Cartridge
- For organic vapours, mist and fumes of low toxicity
- For spray painting and organic vapours of low toxicity
- For inorganic vapours acid gases of low toxicity
- For acid gases of low toxicity
- Anti-ammonia

KRC321

- Dual Cartridge



KCS322

KCS326



KCS320

KCS321

KCS325

KCS324

CARTRIDGES FOR KRC121/KRC111 ONLY

KRC121

- Dual Cartridge without Cartridge



KCS201

KCS202

KCS203

KCS205

KCS206

KCS209

- Dust Cartridge
- For organic vapours, mist and fumes of low toxicity
- For spray painting and organic vapours of low toxicity
- For acid gases of low toxicity
- For organic, inorganic vapours acid gases of low toxicity
- For agricultural sprays

KRC111

- Single Cartridge without Cartridge



KCS201

KCS202



KCS205

KCS206

KCS209

KCS203

CARTRIDGES FOR KRC122/KRC112 ONLY

KRC122

- Dual Cartridge With KCS336



KRC112

- Single Cartridge With KCS336



KCS336

- Dust Cartridge



KNEE PADS

KNP210-GN



KNP100



KNP220



KNP111B



KNP111



BACK SUPPORTS



KBS024

- Back support
- Durable lightweight spandex, powerful knit, woven elastic cinch strap.
- Fastens securely with hook-and-loop fasteners.
- Spring steel stays bend with body for optimal support of the spine.
- Sizes: S,M, L, XL and XXL

KBS026

- Back support belt
- Without shoulder strap



INDUSTRIAL SAFETY BELT

KSB108

- Lumber support with rope grab and D-rings.
- Accessory holders with adjustable positioning lanyard.
- Lanyard : 2M.



KSL102-2M LANYARD

- With one snap hook and one big opening hook.
- LENGTH : 2M



KSB670 SAFETY HARNESS

- One dorsal attachment point, two chest attachment points.



WORK GLOVES

KGN813 • PVC dotted **oneside**

KGN814 • PVC dotted **twoside**




KGN815

- Anti-Slippery work gloves




PVC TRAFFIC CONE



TYPE OF REFLECTIVE COLLAR

- A. Without reflective collar
- B. 75mm width reflective collar
- C. 100mm width reflective collar
- D. 150mm width reflective collar
- E. With two reflective collar



CORNER PROTECTOR

1. **KGP380** BRILLIANT FLUORESCENT FLAT TAPE
 2. **KGP381** BRILLIANT FLUORESCENT
 3. **KGP382** YELLOW BASE WITH YELLOW/BLACK ZEBRA TAPE
- Easy installation in heights of 30,60,90, 120, 150cm or more to meet various demands



REFLECTIVE TRIANGLE

- Easy to set up
- Strong and durable



- CE E11 Approved
- 2 packaging options

KTS510

- Premium package



KTS520

- Packed in a paper box



KTS540

- Economic package



KTS100

- Open top portable delineator
- W/100mm & 100mm reflective collar



KTS120

- Portable delineator
- TP-1200H w/240mm reflective collar



KTS200

- Portable delineator base
- PVC weighted base in octagon shape for stability
- Available in 3.6kgs, 4.5kgs, 5.5kgs & 8kgs

KTS270

- Retractable cone-bar
- Retractable design for storage and carry



Touch-Free-Dispenser



MAD SERIES AUTOMATIC SANITIZER DISPENSER

FEATURES:

- **Fully automatic/Touch-free**
No need to touch any part. Place your hand under the nozzle, infrared sensor will detect your hand and dispense the chemicals (sanitizer or soap) automatically.
- **Suitable for multiple solution**
The machine can be used for disinfectant spray, disinfectant gel, or liquid soap.
- **Level checking window**
With the transparent window, the user can easily check the level of liquid without opening the front cover.
- **Dispensing volume adjusting**
The dispensing volume can be adjusted by user.
- **LED indicator**
When the LED indicator blinks in green, it means the machine is operating when the LED light up in red, it means the battery power is low. Lorem ipsum
- **Sensor volume switch**
The sensor detecting area can be adjusted with sensor volume switch.
- **Safety switch**
When opening the front cover, the safety switch will prevent the machine from dispensing the liquid.
- **Power mode(AC/DC available)**
The machine can be used with 4pcs D-cell batteries or AC power adaptor, use 4 brand-new alkaline batteries can operate the machine over 100,000 times continuously (tested with soap).
- **ON/OFF switch**
When the machine is not being used for a long time, the user can turn the switch to OFF to save the power.
- **Easier for mounting in any place**
The machine can be mounted on the wall or stand on the desk, you can install this unit in any place, especially in hospital, restaurant, kindergarten...etc.



■ MAD-153



Touch-Free-Dispenser



MAD-101



MAD-102



AUTOMATIC SOAP DISPENSER

MAW-131

- Dispenser size: 270x160x98mm
- Bottle size: 127x115x82mm;
Bottle capacity: 1000ml
- Material of dispenser: ABS;
Material of bottle: HDPE



MAW-MINI

- Dispenser size: 120x101x213mm
- Bottle size: 79x98x82mm;
Bottle capacity: 500ml
- Material of dispenser: ABS;
Material of bottle: HDPE



NEW

Personal Protective Equipment



KAYO PRODUCTS CO., LTD.

5F., No. 21, Lane 120, Section 1,
Nei-Hu Road, 11493 Taipei, Taiwan

☎ +886-2-8797-2967

☎ +886-2-8797-2995

✉ safety@kayo.com.tw

🌐 www.kayo.com.tw/safety/